AUTO WIPE



Windshield fluid



■ PROPERTIES - APPLICATIONS

AUTO WIPE of DUROSTICK easily and quickly removes dirt and insects from the car windshield, leaving a characteristic aroma of freshness.

An antifrost product that protects windshield wipers without damaging the automobile paint.

■ USE

Pour the fluid into the windshield fluid container of the automobile and for best results, top off with distilled water (it prevents nozzle clogging.

■ CONSUMPTION

One container is perfectly adequate for the 3-4lt of water in the tank of an average automobile.

■ STORAGE

Store in shaded places away from any heat source, for 36 months from production date.

■ SAFETY DIRECTIONS

The product is classified as an irritant and flammable. It is recommended to keep away from the reach of children and apply it in well ventilated areas. Before use, refer to the cautions on the product packaging or the Safety Data Sheet.

■ PACKAGING

Carton box with 24 pcs of 250ml each one.

AUTO WIPE



Windshield fluid

TECHNICAL SPECIFICATIONS	
Form - Color	Fluid - Light blue
■ Density	0.95±0.05kg/lt
■ Scent	Fresh flowers scent
■ pH	7-8
■ Contains	Contains isopropyl alcohol Among other things contains non-ionic surfactants less than 5%

Permit No. by General Chemical State Laboratory

ELEFSIS: 3093/2008

DUROSTICK S.A.,

MANUFACTURING OF ADHESIVES,

PAINTS & MORTARS

ATHENS: ASPROPYRGOS, ATTICA, GR: 193 00, Tel: +30 211 60 03 500-599, +30 210 55 16 500, +30 210 55 98 350, Fax: +30 210 55 99 612

THESSALONIKI: INDUSTRIAL PARK-SINDOS, S.B. 44,

STREET, DA 10, GR: 570 22,

Tel: +30 2310 795 797, +30 2310 797 365,

Fax: +30 2310 797 367 Email: info@durostick.com

The technical specifications and directions of use contained in this technical data sheet are the results of the knowledge and experience of the company's research and development department, as well as from the real-life applications of the product. The recommendations and suggestions regarding the use of the products are made without guarantee since the respective conditions during their application are beyond the control of the company. For this reason, it is the user's responsibility to make sure that the product is suitable for the intended application as well as the application conditions of the project.