### Safety data sheet

According to 1907/2006/EC (REACH), 453/2010/EC

### **DUROCLEAN**



## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier: DUROCLEAN

### 1.2 Relevant identified uses of the substance or mixture and uses advised against:

Relevant uses: Cleaner for fireplace smokestacks and wood stoves

Uses advised against: All uses not specified in this section or in section 7.3

13 Details of the supplier of the safety data sheet: DUROSTICK SA

PATIMA KOROREMI

193 00 ASPROPIRGOS, ATTICA - GREECE

Phone.: 211 60 03 500-599 -

Fax: 210 55 99 612 info@durostick.gr www.durostick.gr

**Emergency telephone number:** 210 7793 777

### **SECTION 2: HAZARDS IDENTIFICATION**

### Classification of the substance or mixture: 2.1

### Directive 67/548/EC and Directive 1999/45/EC:

This product was classified in accordance with Directive 67/548/EC and Directive 1999/45/EC, adapting the requirements to Regulation (EC) nº1907/2006 (REACH regulation).

N: R50/53 - Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment

Xi: R36/38 - Irritating to eyes and skin

Xn: R22 - Harmful if swallowed

### CLP Regulation (EC) no 1272/2008:

Classification of this product has been carried out in accordance with CLP Regulation (EC) no 1272/2008.

Acute Tox. 4: Acute toxicity if swallowed, Category 4

Aquatic Acute 1: Hazardous to the aquatic environment, acute hazard, Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment, long-term hazard, Category 1

Eye Irrit. 2: Eye irritation, Category 2 Skin Irrit. 2: Skin irritation, Category 2

### 2.2 **Label elements:**

### Directive 67/548/EC and Directive 1999/45/EC:

In accordance with the legislation, the elements on the label are as follows:



Dangerous for the environment



R Phrases:

R22: Harmful if swallowed

R36/38: Irritating to eyes and skin

R50/53: Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment

### S Phrases:

S2: Keep out of the reach of children

S29: Do not empty into drains

S46: If swallowed, seek medical advice immediately and show this container or label

### **Supplementary information:**

Non-applicable

### Substances that contribute to the classification:

Copper sulfate pentahydrate

### CLP Regulation (EC) no 1272/2008:

### Warning





- CONTINUED ON NEXT PAGE -

## Safety data sheet

According to 1907/2006/EC (REACH), 453/2010/EC

### **DUROCLEAN**



### SECTION 2: HAZARDS IDENTIFICATION (continue)

### **Hazard statements:**

Acute Tox. 4: H302 - Harmful if swallowed

Aguatic Chronic 1: H410 - Very toxic to aguatic life with long lasting effects

Eye Irrit. 2: H319 - Causes serious eye irritation Skin Irrit. 2: H315 - Causes skin irritation

### **Precautionary statements:**

P101: If medical advice is needed, have product container or label at hand

P102: Keep out of reach of children

P103: Read label before use

P280: Wear protective gloves/protective clothing/eye protection/face protection

P302+P352: IF ON SKIN: Wash with plenty of water

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P321: Specific treatment is urgently needed (go to see a doctor with the Safety data sheet for this product)

P501: Dispose of the contents/containers in accordance with the current legislation on waste treatment

### Supplementary information:

Non-applicable

### Substances that contribute to the classification

Copper sulfate pentahydrate

### 2.3 Other hazards:

Non-applicable

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Chemical description: Miscellaneous products

### Components:

In accordance with Annex II of Regulation (EC)  $n^{o}1907/2006$  (point 3), the product contains:

|               | Identification              | Chemical name/Classification              |   |             | Concentration |
|---------------|-----------------------------|---|---|-------------|---------------|
| CAS:<br>EC:   | 7758-99-8                   | Copper sulfate pental                     | nydrate   | ATP CLP00   |               |
| Index:        |                             | Directive 67/548/EC                       | N: R50/53; Xi: R36/38; Xn: R22  | € ×         | 24 - <75 %    |
| REACH         | 1:01-2119520566-40-XXXX     | 1-2119520566-40-xxxx Regulation 1272/2008 | Acute Tox. 4: H302; Aquatic Acute 1: H400; Aquatic Chronic 1: H410; Eye Irrit. 2: H319; Skin Irrit. 2: H315 - Warning |             | <u>B</u>      |
| CAS:          | 10101-89-0                  | Trisodium orthophosp                      | phate   |             |               |
| EC:<br>Index: | 231-509-8<br>Non-applicable | Directive 67/548/EC                       | Xi: R36/37/38   | ×           | 19 - <24 %    |
| REACH         | : 01-2119489800-32-XXXX     | Regulation 1272/2008                      | Eye Irrit. 2: H319; Skin Irrit. 2: H315; STOT SE 3: H335 - Warning  | <b>(!</b> ) |               |

To obtain more information on the risk of the substances consult sections 8, 11, 12 and 16.

### SECTION 4: FIRST AID MEASURES

### 4.1 Description of first aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the MSDS of this product.

### By inhalation:

This product is not classified as dangerous through inhalation,however, it is recommended in case of intoxication symptoms to remove the person affected from the area of exposure, provide clean air and keep at rest. Request medical attention if symptoms persist.

### By skin contact:

Remove contaminated clothing and footwear, rinse skin or shower the person affected if appropriate with plenty of cold water and neutral soap. In serious cases see a doctor. If the product causes burns or freezing, clothing should not be removed as this could worsen the injury caused if it is stuck to the skin. If blisters form on the skin, these should never be burst as this will increase the risk of infection.

### By eye contact:

Rinse eyes thoroughly with luke warm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, as this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the MSDS of the product.

## Safety data sheet According to 1907/2006/EC (REACH), 453/2010/EC

**DUROCLEAN** 

### 3 , , , ,



### SECTION 4: FIRST AID MEASURES (continue)

### By consumption:

Do not induce vomiting, but if it does happen keep the head up to avoid inhalation. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

### 4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

### 4.3 Indication of any immediate medical attention and special treatment needed:

Non-applicable

### **SECTION 5: FIREFIGHTING MEASURES**

### 5.1 Extinguishing media:

Product is non-flammable under normal conditions of storage, manipulation and use. In the case of inflammation as a result of improper manipulation, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems. IT IS NOT RECOMMENDED to use tap water as an extinguishing agent.

### 5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive subproducts are created that can become highly toxic and, consequently, can present a serious health risk.

### 5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and individual respiratory equipment. Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

### **Additional provisions:**

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Destroy any source of ignition. In case of fire, refrigerate the storage containers and tanks for products susceptible to inflamation, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

### SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1 Personal precautions, protective equipment and emergency procedures:

Sweep up and shovel product or other means and place in container for reuse (preferred) or disposal See sections 8 and 13.

### 6.2 Environmental precautions:

Avoid at all cost any type of spillage into an aqueous medium. Contain the product absorbed appropriately in hermetically sealed containers. Notify the relevant authority in case of exposure to the general public or the environment.

### 6.3 Methods and material for containment and cleaning up:

It is recommended:

Sweep up and shovel product or other means and place in container for reuse (preferred) or disposal

### 6.4 Reference to other sections:

See sections 8 and 13.

### SECTION 7: HANDLING AND STORAGE

### 7.1 Precautions for safe handling:

A.- Precautions for safe manipulation

Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and destroy using safe methods (section 6).

B.- Technical recommendations for the prevention of fires and explosions

Product is non-flammable under normal conditions of storage, manipulation and use. It is recommended to transfer at slow speeds to avoid the generation of electrostatic charges that can affect flammable products. Consult section 10 for information on conditions and materials that should be avoided.

C.- Technical recommendations to prevent ergonomic and toxicological risks

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

Date of compilation: 10/07/2015 Version: 1 Page 3/10

## Safety data sheet According to 1907/2006/EC (REACH), 453/2010/EC

### tording to 1907/2000/EC (KEACH), 455/2



### **DUROCLEAN**

## SECTION 7: HANDLING AND STORAGE (continue)

D.- Technical recommendations to prevent environmental risks

Due to the danger of this product for the environment it is recommended to used it within an area containing contamination control barriers in case of spillage, as well as having absorbent material in close proximity.

### 7.2 Conditions for safe storage, including any incompatibilities:

A.- Technical measures for storage

Minimum Temp.: 5 °C

Maximun Temp.: 30 °C

Maximum time: 24 Months

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

### 7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the work environment

Nuisance dust: Inhalable dust 10 mg/m3 // Respirable dust 4 mg/m3

### **DNEL (Workers):**

|                          |            | Short exposure |                | Long exposure  |                |
|--------------------------|------------|----------------|----------------|----------------|----------------|
| Identification           |            | Systemic       | Local          | Systemic       | Local          |
| Trisodium orthophosphate | Oral       | Non-applicable | Non-applicable | Non-applicable | Non-applicable |
| CAS: 10101-89-0          | Dermal     | Non-applicable | Non-applicable | Non-applicable | Non-applicable |
| EC: 231-509-8            | Inhalation | Non-applicable | Non-applicable | 4,07 mg/m³     | Non-applicable |

### DNEL (Population):

|                          |            | Short exposure |                | Long exposure          |                |
|--------------------------|------------|----------------|----------------|------------------------|----------------|
| Identification           |            | Systemic       | Local          | Systemic               | Local          |
| Trisodium orthophosphate | Oral       | Non-applicable | Non-applicable | Non-applicable         | Non-applicable |
| CAS: 10101-89-0          | Dermal     | Non-applicable | Non-applicable | Non-applicable         | Non-applicable |
| EC: 231-509-8            | Inhalation | Non-applicable | Non-applicable | 3,04 mg/m <sup>3</sup> | Non-applicable |

### PNEC:

| Identification              |              |                |                         |                |
|-----------------------------|--------------|----------------|-------------------------|----------------|
| Copper sulfate pentahydrate | STP          | 0,23 mg/L      | Fresh water             | 0,0078 mg/L    |
| CAS: 7758-99-8              | Soil         | 65 mg/kg       | Marine water            | 0,0052 mg/L    |
| EC: 231-847-6               | Intermittent | Non-applicable | Sediment (Fresh water)  | 87 mg/kg       |
|                             | Oral         | Non-applicable | Sediment (Marine water) | 676 mg/kg      |
| Trisodium orthophosphate    | STP          | 50 mg/L        | Fresh water             | Non-applicable |
| CAS: 10101-89-0             | Soil         | Non-applicable | Marine water            | Non-applicable |
| EC: 231-509-8               | Intermittent | Non-applicable | Sediment (Fresh water)  | Non-applicable |
|                             | Oral         | Non-applicable | Sediment (Marine water) | Non-applicable |

### 8.2 Exposure controls:

A.- General security and hygiene measures in the work place

As a preventative measure it is recommended to use basic Personal Protection Equipment, with the corresponding ""CE marking"" in accordance with Directive 89/686/EC. For more information on Personal Protection Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more infomation see subsection 7.1.

All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B.- Respiratory protection

The use of protection equipment will be necessary if a mist forms or if the professional exposure limits are exceeded.

## Safety data sheet

According to 1907/2006/EC (REACH), 453/2010/EC

### **DUROCLEAN**



## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continue)

### C.- Specific protection for the hands

| Pictogram                 | PPE                        | Labelling | CEN Standard  | Remarks  |
|---------------------------|----------------------------|-----------|---|--|
| Mandatory hand protection | Chemical protective gloves | CATI      | EN 374-1:2003<br>EN 374-3:2003/AC:2006<br>EN 420:2003+A1:2009 | Replace the gloves at any sign of deterioration. |

### D.- Ocular and facial protection

| Pictogram                 | PPE  | Labelling | CEN Standard  | Remarks   |
|---------------------------|--|-----------|---|---|
| Mandatory face protection | Panoramic glasses against<br>liquid splash | CAT II    | EN 166:2001<br>EN 172:1994/A1:2000<br>EN 172:1994/A2:2001<br>EN ISO 4007:2012 | Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing. |

### E.- Bodily protection

| Pictogram | PPE                  | Labelling | CEN Standard                           | Remarks                    |
|-----------|----------------------|-----------|--|----------------------------|
|           | Work clothing        | CE        | EN ISO 13688:2013                      | For professional use only. |
|           | Anti-slip work shoes | CAT II    | EN ISO 20347:2012<br>EN ISO 20344:2011 | None                       |

### F.- Additional emergency measures

| Emergency measure | Standards                      | Emergency measure | Standards                     |
|-------------------|--------------------------------|-------------------|-------------------------------|
| Emergency shower  | ANSI Z358-1<br>ISO 3864-1:2002 | Eyewash stations  | DIN 12 899<br>ISO 3864-1:2002 |

### **Environmental exposure controls:**

In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and its container. For additional information see subsection 7.1.D

### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties:

For complete information see the product datasheet.

### Appearance:

Physical state at 20 °C: Solid

Appearance: Powder

Color: Green

Odor: Characteristic

### Volatility:

\*Not relevant due to the nature of the product, not providing information property of its hazards.

## Safety data sheet According to 1907/2006/EC (REACH), 453/2010/EC

### **DUROCLEAN**



### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES (continue)

Boiling point at atmospheric pressure:

Vapour pressure at 20 °C:

Vapour pressure at 50 °C:

Non-applicable \*

Non-applicable \*

Non-applicable \*

Non-applicable \*

**Product description:** 

Density at 20 °C: 2178 kg/m³ Relative density at 20 °C: 2,178

Dynamic viscosity at 20 °C: Non-applicable \* Kinematic viscosity at 20 °C: Non-applicable \* Kinematic viscosity at 40 °C: Non-applicable \* Concentration: Non-applicable \* pH: Non-applicable \* Vapour density at 20 °C: Non-applicable \* Partition coefficient n-octanol/water 20 °C: Non-applicable \* Solubility in water at 20 °C: Non-applicable \* Solubility property: Non-applicable \* Decomposition temperature: Non-applicable \* Melting point/freezing point: Non-applicable \*

Flammability:

Flash Point: Non Flammable (>60 °C)

Autoignition temperature: Non-applicable \*
Lower flammability limit: Non-applicable \*
Upper flammability limit: Non-applicable \*

9.2 Other information:

Surface tension at 20 °C: Non-applicable \*
Refraction index: Non-applicable \*

### SECTION 10: STABILITY AND REACTIVITY

### 10.1 Reactivity:

No hazardous reactions are expected if the following technical instructions storage of chemicals. See section 7.

### 10.2 Chemical stability:

Chemically stable under the conditions of storage, handling and use.

### 10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

### 10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

| Shock and friction | Contact with air | Increase in temperature | Sunlight       | Humidity       |
|--------------------|------------------|-------------------------|----------------|----------------|
| Not applicable     | Not applicable   | Not applicable          | Not applicable | Not applicable |

### 10.5 Incompatible materials:

| Acids          | Water          | Combustive materials | Combustible materials | Others         |
|----------------|----------------|----------------------|-----------------------|----------------|
| Not applicable | Not applicable | Not applicable       | Not applicable        | Not applicable |

### 10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO2), carbon monoxide and other organic compounds.

<sup>\*</sup>Not relevant due to the nature of the product, not providing information property of its hazards.

### Safety data sheet

According to 1907/2006/EC (REACH), 453/2010/EC

### **DUROCLEAN**



### SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1 Information on toxicological effects:

No experimental information is available on the product itself in relation to the toxicological properties. When performing the danger classification on corrosive or irritant effects the recommendations included in section 3.2.5 of Annex VI of Directive 67/548/EC, in paragraphs b) and c) of section 3 of article 6 of Directive 1999/45/EC and in section 3.2.3.3.5. of Annex I of CLP Regulation were taken into account.

### **Dangerous health implications:**

In case of exposure that is repetitive, prolonged or at concentrations higher than recommended by the occupational exposure limits, it may result in adverse effects on health depending on the means of exposure:

### A.- Ingestion

The consumption of a considerable dose can cause irritation in the throat, abdominal pain, nausea and vomiting.

### **B-** Inhalation

Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous for inhalation. For more information see section 3.

C- Contact with the skin and the eyes:

Produces skin inflammation.

D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):

Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for the effects mentioned. For more information see section 3.

E- Sensitizing effects:

Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous with sensibilizing effects. For more information see section 3.

F- Specific target organ toxicity (STOT)-time exposure:

Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

G- Specific target organ toxicity (STOT)-repeated exposure:

Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

H- Aspiration hazard:

Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

### Other information:

Non-applicable

### Specific toxicology information on the substances:

| Identification              | Acute toxicity  |                | Genus |
|-----------------------------|-----------------|----------------|-------|
| Copper sulfate pentahydrate | LD50 oral       | 482 mg/kg      | Rat   |
| CAS: 7758-99-8              | LD50 dermal     | Non-applicable |       |
| EC: 231-847-6               | LC50 inhalation | Non-applicable |       |
| Trisodium orthophosphate    | LD50 oral       | 7400 mg/kg     | Rat   |
| CAS: 10101-89-0             | LD50 dermal     | Non-applicable |       |
| EC: 231-509-8               | LC50 inhalation | Non-applicable |       |

### SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the ecotoxicological properties of the product itself is not available Contains phosphates. Excessive discharge may cause eutrophication.

### 12.1 Toxicity:

| Identification              |      | Acute toxicity      | Specie | Genus      |
|-----------------------------|------|---------------------|--------|------------|
| Copper sulfate pentahydrate | LC50 | 0,1 - 1 mg/L (96 h) |        | Fish       |
| CAS: 7758-99-8              | EC50 | 0,1 - 1 mg/L        |        | Crustacean |
| EC: 231-847-6               | EC50 | 0,1 - 1 mg/L        |        | Alga       |

### 12.2 Persistence and degradability:

Not available

## Safety data sheet According to 1907/2006/EC (REACH), 453/2010/EC

**DUROCLEAN** 



### SECTION 12: ECOLOGICAL INFORMATION (continue)

### 12.3 Bioaccumulative potential:

Not available

### 12.4 Mobility in soil:

Not available

### 12.5 Results of PBT and vPvB assessment:

Non-applicable

### 12.6 Other adverse effects:

Not described

### SECTION 13: DISPOSAL CONSIDERATIONS

### 13.1 Waste treatment methods:

| Code      | Description                                | Waste class (Directive 2008/98/EC) |
|-----------|--|------------------------------------|
| 20 01 29* | Detergents containing dangerous substances | Dangerous                          |

### Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2000/532/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. We do not recommended disposal down the drain. See paragraph 6.2.

### Regulations related to waste management:

In accordance with Annex II of Regulation (EC)  $n^{o}1907/2006$  (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2000/532/EC: Commission Decision of 3 May 2000

### SECTION 14: TRANSPORT INFORMATION

### Transport of dangerous goods by land:

With regard to ADR 2013 and RID 2013:



**14.1 UN number:** UN3077

**14.2 UN proper shipping name:** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Copper

sulfate pentahydrate)

**14.3** Transport hazard class(es): 9

Labels: 9 **14.4 Packing group:** III **14.5 Dangerous for the** Yes

environment:

14.6 Special precautions for user

Special regulations: 274, 335, 601

Tunnel restriction code: E

Physico-Chemical properties: see section 9
Limited quantities: 5 kg

14.7 Transport in bulk according to Non-applicable

Annex II of MARPOL 73/78

and the IBC Code:

### Transport of dangerous goods by sea:

With regard to IMDG 36-12:

### Safety data sheet

According to 1907/2006/EC (REACH), 453/2010/EC

### **DUROCLEAN**



### SECTION 14: TRANSPORT INFORMATION (continue)

**14.1 UN number:** UN3077

**14.2 UN proper shipping name:** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Copper

sulfate pentahydrate)

14.3 Transport hazard class(es):

Labels: 9
Packing group: III

14.4 Packing group: III

14.5 Dangerous for the Yes environment:

14.6 Special precautions for user

Special regulations: 274, 909, 944
EmS Codes: F-A, S-F
Physico-Chemical properties: see section 9
Limited quantities: 5 kg

14.7 Transport in bulk according to Non-applicable

Annex II of MARPOL 73/78 and the IBC Code:

### Transport of dangerous goods by air:

With regard to IATA/ICAO 2014:



**14.1 UN number:** UN3077

**14.2 UN proper shipping name:** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Copper

sulfate pentahydrate)

**14.3** Transport hazard class(es): 9

Labels: 9

14.4 Packing group: III

14.5 Dangerous for the environment: Yes

14.6 Special precautions for user

Physico-Chemical properties: see section 9

14.7 Transport in bulk according to Non-applicable

Annex II of MARPOL 73/78

and the IBC Code:

### SECTION 15: REGULATORY INFORMATION

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Candidate substances for authorisation under the Regulation (EC) 1907/2006 (REACH): Non-applicable

Regulation (EC) 1005/2009, about substances that deplete the ozone layer: Non-applicable

Active substances for which a decision of non-inclusion onto Annex I (Regulation (EU) No 528/2012): Non-applicable

Regulation (EC) 649/2012, in relation to the import and export of hazardous chemical products: Non-applicable

### Regulation (EC) nº648/2004 on detergents:

In accordance with this regulation the product complies with the following:

### Contents labelled:

| Con        | ponent | Concentration interval |
|------------|--------|------------------------|
| Phosphates |        | 15 <= % (w/w) < 30     |

### Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII, REACH):

Non-applicable

### Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as data used in a risk evaluation of the local circumstances in order to establish the necessary risk prevention measures for the manipulation, use, storage and disposal of this product.

### Other legislation:

Non-applicable

### Safety data sheet

According to 1907/2006/EC (REACH), 453/2010/EC

### **DUROCLEAN**



### SECTION 15: REGULATORY INFORMATION (continue)

- Regulation (EC) No 1223/2009 of the European Parliament and of the Council of 30 November 2009 on cosmetic products
- Regulation (EC) No 648/2004 of the European Parliament and of the Council of 31 March 2004 on detergents
- Commission Regulation (EC) No 907/2006 of 20 June 2006 amending Regulation (EC) No 648/2004 of the European Parliament and of the Council on detergents, in order to adapt Annexes III and VII
- Commission Regulation (EC) No 551/2009 of 25 June 2009 amending Regulation (EC) No 648/2004 of the European Parliament and of the Council on detergents, in order to adapt Annexes V and VI thereto (surfactant derogation)

### 15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

### **SECTION 16: OTHER INFORMATION**

### Legislation related to safety data sheets:

This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (Regulation (EC) No 453/2010)

### Modifications related to the previous security card which concerns the ways of managing risks. :

Directive 67/548/EC and Directive 1999/45/EC:

· S Phrases

CLP Regulation (EC) no 1272/2008:

· Precautionary statements

### Text of R-phrases considered in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

### Directive 67/548/EC and Directive 1999/45/EC:

R22: Harmful if swallowed

R36/37/38: Irritating to eyes, respiratory system and skin

R36/38: Irritating to eyes and skin

R50/53: Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment

### CLP Regulation (EC) nº 1272/2008:

Acute Tox. 4: H302 - Harmful if swallowed

Aquatic Acute 1: H400 - Very toxic to aquatic life

Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects

Eye Irrit. 2: H319 - Causes serious eye irritation

Skin Irrit. 2: H315 - Causes skin irritation

STOT SE 3: H335 - May cause respiratory irritation

### Advice related to training:

Minimal training is recommended to prevent industrial risks for staff using this product, in order to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

### Principal bibliographical sources:

http://esis.jrc.ec.europa.eu

http://echa.europa.eu

http://eur-lex.europa.eu

### Abbreviations and acronyms:

- ADR: European agreement concerning the international carriage of dangerous goods by road
- -IMDG: International maritime dangerous goods code
- -IATA: International Air Transport Association
- -ICAO: International Civil Aviation Organisation
- -COD: Chemical Oxygen Demand
- -BOD5: 5-day biochemical oxygen demand
- -BCF: Bioconcentration factor
- -LD50: Lethal Dose 50
- -CL50: Lethal Concentration 50
- -EC50: Effective concentration 50
- -Log-POW: Octanol-water partition coefficient
- -Koc: Partition coefficient of organic carbon

The information contained in this security data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this security data sheet only refers to this product, which should not be used for needs other than those specified.