

# BIOCLEAN



Biodegradable cleaner for GEL COAT and inflatable boats



## PROPERTIES

Biodegradable cleaner without ammonia, phosphates, and petroleum products per the European directive EC 648/2004 governing detergents in terms of their biodegradability. It effectively dissolves and cleans oils and grease as well as fuel oil and gasoline. It removes easily and effortlessly salt stains and light rust on stainless steel, it even removes seagull waste. It does not stain or discolor any surface it is applied on, leaving them completely clean but unaffected from its use.

## APPLICATIONS

BIOCLEAN BOAT CLEANER is ideal for spot or general cleaning of any type of boat. Cleans plastic and inflatable boats, as well as wood and metal boats. It easily removes and cleans any engine residues from the bilge of the boat as well as the engine itself. It removes all kinds of dirt and residue from gel coat surfaces and inflatable boats as well as boat fabrics and upholstery. Clean boat fenders, carpets and lounge covers.

It even removes stubborn stains, revitalize the surfaces it is applied on. Truly ideal for decks made of teak wood (oiled or else), highlighting its wood texture and restoring the original natural color. All residues biodegrade completely (certified by two German Institutes).

## USE

Spray the areas that need cleaning and allow for it to act. Rinse with water after 5-10 minutes. For general boat cleaning, dilute the product with clean water at a ratio of 1:1. Soak all surfaces with the solution before cleaning.

It is recommended to use a short pile stiff broom for easy scrubbing and effective cleaning. Apply it also using a pressure washer. Rinse with plenty of water before the cleaner dries on the surfaces. It can also be applied with a pressure washer.

## CONSUMPTION

1lt/12-14m<sup>2</sup> of surface

# BIOCLEAN



Biodegradable cleaner for GEL COAT and inflatable boats

## STORAGE

Store in places protected from frost, for at least 36 months from production date.

## SAFETY DIRECTIONS

The product needs no hazard labeling under current European and National legislation. However, it is recommended to keep away from the reach of children. If swallowed, seek immediate medical advice and show the container or label. Before use, refer to the cautions on the product packaging or the Material Safety Data Sheet.

## PACKAGING

- Carton box with 12 pcs of 750ml each one
- 5lt, 10lt containers (special order)

## TECHNICAL SPECIFICATIONS

<b>Form - Color</b>	Liquid - Transparent
<b>Density</b>	1.00±0.05kg/lit
<b>Scent</b>	Long-lasting fresh scent

### Does not release vapours

<b>Contains</b>	Non-ionic surfactants are less than 5% Anionic surfactants are less than 5%
-----------------	--

Permit No. by General Chemical State Laboratory ELEFSIS: 3093/2008

The product has been officially examined and certified by the following German institutes:

- **FRESENIUS Institute**
- **BREGAU Institute for applied environmental technology**

## DUROSTICK S.A.

MANUFACTURING OF ADHESIVES, PAINTS & MORTARS

ATHENS: ASPROPYRGOS, ATTICA, GR: 193 00, Tel: +30 211 60 03 500-599, +30 210 55 16 500, +30 210 55 98 350, Fax: +30 210 55 99 612

THESSALONIK: INDUSTRIAL PARK-SINDOS, S.B. 44, STREET, DA 0, GR: 570 22, Tel: +30 2310 795 797, +30 2310 797 365, Fax: +30 2310 797 367

E-mail: [info@durostick.com](mailto:info@durostick.com)

The technical specifications and directions of use contained in this technical brochure are the results of the knowledge and experience of the company's research and development department, as well as from the real-life applications of the product. The recommendations and suggestions regarding the use of the products are made without guarantee since the respective conditions during their application are beyond the control of the company. For this reason, it is the user's responsibility to make sure that the product is suitable for the intended application as well as the application conditions of the project.