D-26

D-26



# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier:

#### Other means of identification:

Not relevant

### **1.2** Relevant identified uses of the substance or mixture and uses advised against:

Relevant uses: Corrosive and remover for paints & varnishes. For professional users only.

Uses advised against: All uses not specified in this section or in section 7.3

### 1.3 Details of the supplier of the safety data sheet:

DUROSTICK SA PATIMA KOROREMI 193 00 ASPROPIRGOS, ATTICA - GREECE Phone: 211 60 03 500-599 - Fax: 210 55 99 612 koutsibelis@durostick.gr www.durostick.gr

#### **1.4 Emergency telephone number:**

# SECTION 2: HAZARDS IDENTIFICATION \*\*

# 2.1 Classification of the substance or mixture:

#### CLP Regulation (EC) No 1272/2008:

Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008.

Acute Tox. 4: Acute toxicity if swallowed, Category 4, H302 Aquatic Chronic 3: Hazardous to the aquatic environment, long-term hazard, Category 3, H412 Eye Irrit. 2: Eye irritation, Category 2, H319 Flam. Liq. 2: Flammable liquids, Category 2, H225 Repr. 1B: Reproductive toxicity, Category 1B, H360D STOT RE 2: Specific target organ toxicity — Repeated exposure, Hazard Category 2 (Inhalation), H373 STOT SE 2: Specific target organ toxicity — single exposure, Hazard Category 2, H371

#### 2.2 Label elements:

#### CLP Regulation (EC) No 1272/2008:

Danger



### Hazard statements:

Acute Tox. 4: H302 - Harmful if swallowed. Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects. Eye Irrit. 2: H319 - Causes serious eye irritation. Flam. Liq. 2: H225 - Highly flammable liquid and vapour. Repr. 1B: H360D - May damage the unborn child. STOT RE 2: H373 - May cause damage to organs through prolonged or repeated exposure (Inhalation). STOT SE 2: H371 - May cause damage to organs.

# **Precautionary statements:**

P101: If medical advice is needed, have product container or label at hand.

P102: Keep out of reach of children.

P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P280: Wear protective gloves/face protection/protective clothing/respiratory protection/protective footwear.

P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308+P313: IF exposed or concerned: Get medical advice/attention.

P501: Dispose of contents/container according to the separated collection system used in your municipality.

### Substances that contribute to the classification

1,3-dioxolane; Dimethoxymethane; Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)

\*\* Changes with regards to the previous version

#### Safety data

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

# D-26



# SECTION 2: HAZARDS IDENTIFICATION \*\* (continued)

# Additional Labelling:

Restricted to professional users

### Acute Toxicity Estimate (ATE mix):

5,84 % (oral) of the mixture consists of ingredient(s) of unknown toxicity

UFI: PV60-R0G5-E00F-RPUE

# 2.3 Other hazards:

Product does not meet PBT/vPvB criteria

Endocrine-disrupting properties: The product does not meet the criteria.

\*\* Changes with regards to the previous version

# SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Substance:

Non-applicable

# 3.2 Mixture:

Chemical description: Mixture composed of additives in solvents

#### Components:

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

Identification	Chemical name/Classification			
CAS: 646-06-0 EC: 211-463-5 Index: 605-017-00-2 REACH: 01-2119490744-29- XXXX	1,3-dioxolane <sup>(1)</sup> Regulation 1272/2008	Eye Irrit. 2: H319; Flam. Liq. 2: H225; Repr. 1B: H360D - Danger	Self-classified	50 - <75 %
CAS: 109-87-5 EC: 203-714-2 Index: Non-applicable REACH: 01-2119664781-31- XXXX	Dimethoxymethane(1) Regulation 1272/2008	Acute Tox. 4: H302; Flam. Liq. 2: H225; STOT SE 2: H371 - Danger	Self-classified	25 - <50 %
CAS: 64742-82-1 EC: 919-446-0 Index: Non-applicable REACH: 01-2119458049-33- XXXX	Regulation 1272/2008	2, n-alkanes, isoalkanes, cyclics, aromatics (2-25%) <sup>(1)</sup> Aquatic Chronic 2: H411; Asp. Tox. 1: H304; Flam. Liq. 3: H226; STOT RE 1: H372; STOT SE 3: H336; EUH066 - Danger	Self-classified	2,5 - <10 %

(1) Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2020/878

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

Acute toxicity estimate for the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or as determined in accordance with Annex I to that Regulation:

Identification	Acut	Genus	
Dimethoxymethane	LD50 oral	500 mg/kg (ATEi)	Rat
CAS: 109-87-5	LD50 dermal	Not relevant	
EC: 203-714-2	LC50 inhalation	Not relevant	

# SECTION 4: FIRST AID MEASURES

# 4.1 Description of first aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

# By inhalation:

Remove the person affected from the area of exposure, provide with fresh air and keep at rest. In serious cases such as cardiorespiratory failure, artificial resuscitation techniques will be necessary (mouth to mouth resuscitation, cardiac massage, oxygen supply, etc.) requiring immediate medical assistance.

# By skin contact:

# D-26



# SECTION 4: FIRST AID MEASURES (continued)

Remove contaminated clothing and footwear, rinse skin or shower the person affected if appropriate with plenty of cold water and neutral soap. In serious cases see a doctor. If the product causes burns or freezing, clothing should not be removed as this could worsen the injury caused if it is stuck to the skin. If blisters form on the skin, these should never be burst as this will increase the risk of infection.

# By eye contact:

Rinse eyes thoroughly with water for at least 15 minutes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case removal could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS for the product.

# By ingestion/aspiration:

Request medical assistance immediately, showing the SDS of this product. Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. In the case of loss of consciousness do not administer anything orally unless supervised by a doctor. Rinse out the mouth and throat, as they may have been affected during ingestion. Keep the person affected at rest.

### 4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

#### 4.3 Indication of any immediate medical attention and special treatment needed:

Not relevant

### SECTION 5: FIREFIGHTING MEASURES

# 5.1 Extinguishing media:

Suitable extinguishing media:

Foam extinguisher (AB), Dry Chemical Powder (ABC) Fire Extinguisher, Carbon dioxide extinguisher (BC)

#### Unsuitable extinguishing media:

Water jet

#### 5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

# 5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

### Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

# SECTION 6: ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures:

# For non-emergency personnel:

Isolate leaks provided that there is no additional risk for the people performing this task. Evacuate the area and keep out those without protection. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Above all prevent the formation of any vapour-air flammable mixtures, through either ventilation or the use of an inert medium. Remove any source of ignition. Eliminate electrostatic charges by interconnecting all the conductive surfaces on which static electricity could form, and also ensuring that all surfaces are connected to the ground.

#### For emergency responders:

Wear protective equipment. Keep unprotected persons away. See section 8.

### 6.2 Environmental precautions:

Avoid at all cost any type of spillage into an aqueous medium. Contain the product absorbed appropriately in hermetically sealed containers. Notify the relevant authority in case of exposure to the general public or the environment.

# 6.3 Methods and material for containment and cleaning up:

It is recommended:

D-26



# SECTION 6: ACCIDENTAL RELEASE MEASURES (continued)

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

# 6.4 Reference to other sections:

See sections 8 and 13.

# SECTION 7: HANDLING AND STORAGE

### 7.1 Precautions for safe handling:

A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks. Keep containers hermetically sealed. Control spills and residues, destroying them with safe methods (section 6). Avoid leakages from the container. Maintain order and cleanliness where dangerous products are used.

B.- Technical recommendations for the prevention of fires and explosions

Transfer in well ventilated areas, preferably through localized extraction. Fully control sources of ignition (mobile phones, sparks,...) and ventilate during cleaning operations. Avoid the existence of dangerous atmospheres inside containers, applying inertization systems where possible. Transfer at a slow speed to avoid the creation of electrostatic charges. Against the possibility of electrostatic charges: ensure a perfect equipotential connection, always use groundings, do not wear work clothes made of acrylic fibres, preferably wearing cotton clothing and conductive footwear. Comply with the essential security requirements for equipment and systems defined in Directive 2014/34/EC (ATEX 100) and with the minimum requirements for protecting the security and health of workers under the selection criteria of Directive 1999/92/EC (ATEX 137). Consult section 10 for conditions and materials that should be avoided.

C.- Technical recommendations on general occupational hygiene

PREGNANT WOMEN SHOULD NOT BE EXPOSED TO THIS PRODUCT. Transfer in designated areas that comply with the necessary safety conditions (emergency showers and eyewash stations in close proximity), using personal protection equipment, especially on the hands and face (See section 8). Limit manual transfers to small amounts only. Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

Due to the danger of this product for the environment it is recommended to use it within an area containing contamination control barriers in case of spillage, as well as having absorbent material in close proximity.

### 7.2 Conditions for safe storage, including any incompatibilities:

A.- Technical measures for storage

Minimum Temp.:	5 °C
Maximum Temp.:	30 °C
Maximum time:	12 Months

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

# 7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation):

# DNEL (Workers):

		Short ex	posure	Long ex	posure
Identification		Systemic	Local	Systemic	Local
1,3-dioxolane	Oral	Not relevant	Not relevant	Not relevant	Not relevant
CAS: 646-06-0	Dermal	Not relevant	Not relevant	1,18 mg/kg	Not relevant
EC: 211-463-5	Inhalation	Not relevant	Not relevant	3,306 mg/m <sup>3</sup>	Not relevant

D-26



# SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

		Short	exposure	Long	exposure
Identification		Systemic	Local	Systemic	Local
Dimethoxymethane	Oral	Not relevant	Not relevant	Not relevant	Not relevant
CAS: 109-87-5	Dermal	Not relevant	Not relevant	17,9 mg/kg	Not relevant
EC: 203-714-2	Inhalation	Not relevant	Not relevant	126,6 mg/m <sup>3</sup>	Not relevant
Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)	Oral	Not relevant	Not relevant	Not relevant	Not relevant
CAS: 64742-82-1	Dermal	Not relevant	Not relevant	21 mg/kg	Not relevant
EC: 919-446-0	Inhalation	570 mg/m <sup>3</sup>	Not relevant	330 mg/m <sup>3</sup>	Not relevant

# DNEL (General population):

		Short e	xposure	Long ex	kposure
Identification	Systemic	Local	Systemic	Local	
Dimethoxymethane	Oral	Not relevant	Not relevant	18,1 mg/kg	Not relevant
CAS: 109-87-5	Dermal	Not relevant	Not relevant	18,1 mg/kg	Not relevant
EC: 203-714-2	Inhalation	Not relevant	Not relevant	31,5 mg/m <sup>3</sup>	Not relevant
Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)	Oral	Not relevant	Not relevant	21 mg/kg	Not relevant
CAS: 64742-82-1	Dermal	Not relevant	Not relevant	12 mg/kg	Not relevant
EC: 919-446-0	Inhalation	570 mg/m <sup>3</sup>	Not relevant	71 mg/m <sup>3</sup>	Not relevant

# PNEC:

Identification				
1,3-dioxolane	STP	1 mg/L	Fresh water	19,7 mg/L
CAS: 646-06-0	Soil	2,62 mg/kg	Marine water	1,97 mg/L
EC: 211-463-5	Intermittent	0,95 mg/L	Sediment (Fresh water)	77,7 mg/kg
	Oral	Not relevant	Sediment (Marine water)	7,77 mg/kg
Dimethoxymethane	STP	10000 mg/L	Fresh water	14,577 mg/L
CAS: 109-87-5	Soil	4,654 mg/kg	Marine water	1,477 mg/L
EC: 203-714-2	Intermittent	Not relevant	Sediment (Fresh water)	13,135 mg/kg
	Oral	Not relevant	Sediment (Marine water)	Not relevant

# 8.2 Exposure controls:

A.- Individual protection measures, such as personal protective equipment

In accordance with the order of importance to control professional exposure (Directive 98/24/EC) it is recommended to use localized extraction in the work area as a collective protection measure to avoid exceeding the occupational exposure limits. In case of using personal protective equipment it should have CE marking in accordance with Directive 2016/425/EC. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For additional information see subsection 7.1.

All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

# B.- Respiratory protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory respiratory tract protection	Filter mask for gases and vapours		EN 405:2002+A1:2010	Replace when there is a taste or smell of the contaminant inside the face mask. If the contaminant comes with warnings it is recommended to use isolation equipment.

C.- Specific protection for the hands

NON-disposable chemical protective glovesEN ISO 374-1:2016+A1:2018 EN ISO 21420:2020The Breakthrough Time indicated by the manufacturer must exceed the period during which the product is being used. Do not use protective creams after the product has come into contact with skin.	Pictogram	PPE	Labelling	CEN Standard	Remarks
	Mandatory hand			EN 16523-1:2015+A1:2018	manufacturer must exceed the period during which the product is being used. Do not use protective creams after the product has come into contact with

As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application.

D.- Eye and face protection

D-26



Picto	gram	PPE	Labelling	CEN Standard	Remarks
Mandato		Face shield		EN 166:2002 EN 167:2002 EN 168:2002 EN ISO 4007:2018	Clean daily and disinfect periodically accordin manufacturer's instructions. Use if there is a splashing.
prote					
E Body prot					
Picto	gram	PPE	Labelling	CEN Standard	Remarks
Mandatory body pro		Disposable clothing for protection against chemical risks, with antistatic and fireproof properties		EN 1149-1,2,3 EN 13034:2005+A1:2009 EN ISO 13982-1:2004/A1:2010 EN ISO 6529:2013 EN ISO 6529:2005 EN ISO 13688:2013 EN 464:1994	For professional use only. Clean periodic according to the manufacturer's instructi
Mandato		Safety footwear for protection against chemical risk, with antistatic and heat resistant properties		EN ISO 13287:2020 EN ISO 20345:2011 EN 13832-1:2019	Replace boots at any sign of deterioration
- Additiona		ncy measures			
	rgency mea	·	tandards	Emergency measu	re Standards
Eme	rgency sho	ISO 3864-1:20	ISI Z358-1 011, ISO 3864-4:20	111 Eyewash stations	DIN 12 899 ISO 3864-1:2011, ISO 3864-4:20

# SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

1 Information on basic physical and chem	Information on basic physical and chemical properties:					
For complete information see the product da	itasheet.					
Appearance:						
Physical state at 20 °C:	Liquid					
Appearance:	Gel					
Colour:	Colourless					
Odour:	Characteristic					
Odour threshold:	Not relevant *					
Volatility:						
Boiling point at atmospheric pressure:	63 °C					
Vapour pressure at 20 °C:	12557 Pa					
Vapour pressure at 50 °C:	38275,05 Pa (38,28 kPa)					
Evaporation rate at 20 °C: Not relevant *						
*Not relevant due to the nature of the product, not pr	oviding information property of its hazards.					





SECT	ECTION 9: PHYSICAL AND CHEMICAL PROPERTIES (continued)					
	Product description:					
	Density at 20 °C:	984,1 kg/m³				
	Relative density at 20 °C:	0,984				
	Dynamic viscosity at 20 °C:	Not relevant *				
	Kinematic viscosity at 20 °C:	Not relevant *				
	Kinematic viscosity at 40 °C:	Not relevant *				
	Concentration:	Not relevant *				
	pH:	Not relevant *				
	Vapour density at 20 °C:	Not relevant *				
	Partition coefficient n-octanol/water 20 °C:	Not relevant *				
	Solubility in water at 20 °C:	Not relevant *				
	Solubility properties:	Not relevant *				
	Decomposition temperature:	Not relevant *				
	Melting point/freezing point:	Not relevant *				
	Flammability:					
	Flash Point:	-6 °C				
	Flammability (solid, gas):	Not relevant *				
	Autoignition temperature:	237 °C				
	Lower flammability limit:	Not available				
	Upper flammability limit:	Not available				
	Particle characteristics:					
	Median equivalent diameter:	Non-applicable				
9.2	Other information:					
	Information with regard to physical hazard classe	s:				
	Explosive properties:	Not relevant *				
	Oxidising properties:	Not relevant *				
	Corrosive to metals:	Not relevant *				
	Heat of combustion:	Not relevant *				
	Aerosols-total percentage (by mass) of flammable components:	Not relevant *				
	Other safety characteristics:					
	Surface tension at 20 °C:	Not relevant *				
	Refraction index:	Not relevant *				
	*Not relevant due to the nature of the product, not providing informa-	ation property of its hazards.				

# SECTION 10: STABILITY AND REACTIVITY

# 10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7 from Safety Data Sheet.

# 10.2 Chemical stability:

Chemically stable under the indicated conditions of storage, handling and use.

# **10.3** Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

# **10.4** Conditions to avoid:

Applicable for handling and storage at room temperature:

Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity
Not applicable	Not applicable	Risk of combustion	Avoid direct impact	Not applicable

D-26



# SECTION 10: STABILITY AND REACTIVITY (continued)

#### 10.5 Incompatible materials:

Acids	Water	Oxidising materials	Combustible materials	Others
Avoid strong acids	Not applicable	Avoid direct impact	Not applicable	Avoid alkalis or strong bases

#### 10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO<sub>2</sub>), carbon monoxide and other organic compounds.

# SECTION 11: TOXICOLOGICAL INFORMATION

# **11.1** Information on hazard classes as defined in Regulation (EC) No 1272/2008:

The experimental information related to the toxicological properties of the product itself is not available

### **Dangerous health implications:**

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

A- Ingestion (acute effect):

Acute toxicity: The consumption of a considerable dose can cause irritation in the throat, abdominal pain, nausea and vomiting.
 Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

#### B- Inhalation (acute effect):

- Acute toxicity : Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for inhalation. For more information see section 3.

- Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- C- Contact with the skin and the eyes (acute effect):
  - Contact with the skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for skin contact. For more information see section 3.
  - Contact with the eyes: Produces eye damage after contact.
- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):

- Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3.

- IARC: Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%) (3)
- Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- Reproductive toxicity: May damage the unborn child.
- E- Sensitizing effects:
  - Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3.

- Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

F- Specific target organ toxicity (STOT) - single exposure:

Harmful effects for health in the case of ingestion, contact with the skin or inhalation after a single exposure, resulting in depression of the central nervous system causing headache, dizziness, vertigo, nausea, vomiting, confusion and, in serious cases, loss of consciousness.

G- Specific target organ toxicity (STOT)-repeated exposure:

Specific target organ toxicity (STOT)-repeated exposure: Exposure in high concentration can interfere with the central nervous system causing headache, dizziness, vertigo, nausea, vomiting, confusion, and in serious cases, loss of consciousness.
 Skin: Based on available data, the classification criteria are not met. However, it does contain substances which are classified as dangerous due to repetitive exposure. For more information see section 3.

H- Aspiration hazard:

Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.

#### Safety data

D-26



# SECTION 11: TOXICOLOGICAL INFORMATION (continued)

# Other information:

Not relevant

# Specific toxicology information on the substances:

Identification	Acut	e toxicity	Genus
1,3-dioxolane	LD50 oral	5200 mg/kg	Rat
CAS: 646-06-0	LD50 dermal	15000 mg/kg	Rat
EC: 211-463-5	LC50 inhalation	68,4 mg/L (4 h)	Rat
Dimethoxymethane	LD50 oral	500 mg/kg (ATEi)	Rat
CAS: 109-87-5	LD50 dermal	>5000 mg/kg	Rabbit
EC: 203-714-2	LC50 inhalation		

# Acute Toxicity Estimate (ATE mix):

ATE mix		Ingredient(s) of unknown toxicity
Oral	1789,55 mg/kg (Calculation method)	5,84 %
Dermal	>2000 mg/kg (Calculation method)	Non-applicable
Inhalation	>20 mg/L (4 h) (Calculation method)	Non-applicable

# 11.2 Information on other hazards:

# **Endocrine disrupting properties**

Endocrine-disrupting properties: The product does not meet the criteria.

#### Other information

Not relevant

# SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available Harmful to aquatic life with long lasting effects.

# 12.1 Toxicity:

# Acute toxicity:

Identification		Concentration	Species	Genus
1,3-dioxolane	LC50	12000 mg/L (96 h)	Cypronodon variegatus	Fish
CAS: 646-06-0	EC50	772 mg/L (48 h)	Daphnia magna	Crustacean
EC: 211-463-5	EC50	877 mg/L (72 h)	Pseudokirchneriella subcapitata	Algae
Dimethoxymethane	LC50	6990 mg/L (96 h)	Pimephales promelas	Fish
CAS: 109-87-5	EC50	Not relevant		
EC: 203-714-2	EC50	Not relevant		
Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)	LC50	>1 - 10 mg/L (96 h)		Fish
CAS: 64742-82-1	EC50	>1 - 10 mg/L (48 h)		Crustacean
EC: 919-446-0	EC50	>1 - 10 mg/L (72 h)		Algae
Chronic toxicity:	1		1	

Identification	Concentration		Species	Genus
Dimethoxymethane	NOEC	450,281 mg/L	N/A	Fish
CAS: 109-87-5 EC: 203-714-2	NOEC	150,5 mg/L	Daphnia magna	Crustacean

# 12.2 Persistence and degradability:

# Substance-specific information:

Identification	Degradability		Biodegradability	
1,3-dioxolane	BOD5	Not relevant	Concentration	3 mg/L
CAS: 646-06-0	COD	Not relevant	35 days	cellPeriodoTesteoConte nido
EC: 211-463-5	BOD5/COD	Not relevant	% Biodegradable	3,7 %
Bioaccumulative potential:				

# 12.3 Bioaccumulative potential:

#### Safety data

D-26



# SECTION 12: ECOLOGICAL INFORMATION (continued)

#### Substance-specific information:

Identification	Bioaccumulation potential	
1,3-dioxolane	BCF	3
CAS: 646-06-0	Pow Log	-0.37
EC: 211-463-5	Potential Low	

# 12.4 Mobility in soil:

Identification	Absorpti	Absorption/desorption		Volatility	
1,3-dioxolane	Кос	15	Henry	2,48 Pa·m <sup>3</sup> /mol	
CAS: 646-06-0	Conclusion	Very High	Dry soil	Yes	
EC: 211-463-5	Surface tension	7,17E-2 N/m (20 °C)	Moist soil	Yes	
Dimethoxymethane	Кос	Not relevant	Henry	Not relevant	
CAS: 109-87-5	Conclusion	Not relevant	Dry soil	Not relevant	
EC: 203-714-2	Surface tension	2,12E-2 N/m (25 °C)	Moist soil	Not relevant	

# 12.5 Results of PBT and vPvB assessment:

Product does not meet PBT/vPvB criteria

#### 12.6 Endocrine disrupting properties:

Endocrine-disrupting properties: The product does not meet the criteria.

## 12.7 Other adverse effects:

Not described

# SECTION 13: DISPOSAL CONSIDERATIONS

### 13.1 Waste treatment methods:

Code	Description	Waste class (Regulation (EU) No 1357/2014)
	It is not possible to assign a specific code, as it depends on the intended use by the user	Hazardous

#### Type of waste (Regulation (EU) No 1357/2014):

HP14 Ecotoxic, HP3 Flammable, HP5 Specific Target Organ Toxicity (STOT)/Aspiration Toxicity, HP6 Acute Toxicity, HP10 Toxic for reproduction, HP4 Irritant — skin irritation and eye damage

# Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-hazardous residue. Waste should not be disposed of to drains. See paragraph 6.2.

# **Regulations related to waste management:**

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

# SECTION 14: TRANSPORT INFORMATION

## Transport of dangerous goods by land:

With regard to ADR 2023 and RID 2023:

D-26



SECTION 14: TRANSPORT	INFORMATION (continued)	
14. 14. 14. 14. 14. 14. 14. 14.	<ol> <li>UN number or ID number:</li> <li>UN proper shipping name:</li> <li>Transport hazard class(es): Labels:</li> <li>Packing group:</li> <li>Environmental hazards:</li> <li>Special precautions for user Special regulations: Tunnel restriction code: Physico-Chemical properties: Limited quantities:</li> <li>Maritime transport in bulk according to IMO instruments:</li> </ol>	UN1263 PAINT RELATED MATERIAL 3 3 I No 163, 367, 650 D/E see section 9 500 mL Not relevant
Transport of danger		
With regard to IMDG 4		
144. 144. 144. 144. 144. 144.	<ol> <li>UN number or ID number:</li> <li>UN proper shipping name:</li> <li>Transport hazard class(es): Labels:</li> <li>Packing group:</li> <li>Marine pollutant:</li> <li>Special precautions for user Special regulations: EmS Codes: Physico-Chemical properties: Limited quantities: Segregation group:</li> <li>Maritime transport in bulk according to IMO</li> </ol>	UN1263 PAINT RELATED MATERIAL 3 3 I No 163, 367 F-E, S-E see section 9 500 mL Not relevant Not relevant
Turning of design	instruments:	
Transport of danger With regard to IATA/IO		
14. 14. 14. 14. 14. 14. 14. 14.	<ol> <li>UN number or ID number:</li> <li>UN proper shipping name:</li> <li>Transport hazard class(es): Labels:</li> <li>Packing group:</li> <li>Environmental hazards:</li> <li>Special precautions for user</li> </ol>	UN1263 PAINT RELATED MATERIAL 3 3 I No
14.	Physico-Chemical properties: 7 Maritime transport in bulk according to IMO instruments:	see section 9 Not relevant

# SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

- Article 95, REGULATION (EU) No 528/2012: Not relevant

- Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Not relevant

- Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Not relevant
- REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Not relevant
- Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Not relevant

#### Seveso III:

D-26



# SECTION 15: REGULATORY INFORMATION (continued)

Section	Description	Lower-tier requirements	Upper-tier requirements
P5c	FLAMMABLE LIQUIDS	5000	50000

Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc ....):

Product classified hazardous under the CMR. Sale and distribution to the general public is prohibited. Due to its CMR category, it is essential to apply the specific measures for workplace hazard prevention covered in articles 4 and 5 of the 2004/37/EC Directive and later modifications.

Shall not be used in: —ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and

ashtrays,

-tricks and jokes,

-games for one or more participants, or any article intended to be used as such, even with ornamental aspects.

### Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

### Other legislation:

The product could be affected by sectorial legislation

## 15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

# SECTION 16: OTHER INFORMATION \*\*

### Legislation related to safety data sheets:

The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (COMMISSION REGULATION (EU) 2020/878).

### Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.:

COMMISSION REGULATION (EU) 2020/878

CLP Regulation (EC) No 1272/2008 (SECTION 2, SECTION 16):

- Hazard statements
- Precautionary statements

# Texts of the legislative phrases mentioned in section 2:

H412: Harmful to aquatic life with long lasting effects.

- H373: May cause damage to organs through prolonged or repeated exposure (Inhalation).
- H360D: May damage the unborn child.
- H371: May cause damage to organs.
- H302: Harmful if swallowed.
- H225: Highly flammable liquid and vapour.
- H319: Causes serious eye irritation.

### Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

#### CLP Regulation (EC) No 1272/2008:

Acute Tox. 4: H302 - Harmful if swallowed.
Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects.
Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways.
Eye Irrit. 2: H319 - Causes serious eye irritation.
Flam. Liq. 2: H225 - Highly flammable liquid and vapour.
Flam. Liq. 3: H226 - Flammable liquid and vapour.
Repr. 1B: H360D - May damage the unborn child.
STOT RE 1: H372 - Causes damage to organs through prolonged or repeated exposure (Inhalation).
STOT SE 2: H371 - May cause damage to organs.
STOT SE 3: H336 - May cause drowsiness or dizziness.

\*\* Changes with regards to the previous version

D-26



# SECTION 16: OTHER INFORMATION \*\* (continued)

Aquatic Chronic 3: Calculation method STOT RE 2: Calculation method Repr. 1B: Calculation method STOT SE 2: Calculation method Acute Tox. 4: Calculation method Flam. Liq. 2: Calculation method (2.6.4.3) Eye Irrit. 2: Calculation method

#### Advice related to training:

Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

### Principal bibliographical sources:

http://echa.europa.eu http://eur-lex.europa.eu

#### Abbreviations and acronyms:

ADR: European agreement concerning the international carriage of dangerous goods by road IMDG: International maritime dangerous goods code IATA: International Air Transport Association ICAO: International Civil Aviation Organisation COD: Chemical Oxygen Demand BOD5: 5day biochemical oxygen demand BCF: Bioconcentration factor LD50: Lethal Dose 50 LC50: Lethal Concentration 50 EC50: Effective concentration 50 LOgPOW: Octanolwater partition coefficient Koc: Partition coefficient of organic carbon UFI: unique formula identifier IARC: International Agency for Research on Cancer

\*\* Changes with regards to the previous version

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.

- END OF SAFETY DATA SHEET -