This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

### **DUROFLEX-PU**



# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

**1.1 Product identifier:** DUROFLEX-PU

Other means of identification:

Not relevant

### 1.2 Relevant identified uses of the substance or mixture and uses advised against:

Relevant uses: High adhesion polyurethane elastomeric sealant

Uses advised against: All uses not specified in this section or in section 7.3

### 1.3 Details of the supplier of the safety data sheet:

DUROSTICK SA PATIMA KOROREMI

193 00 ASPROPIRGOS, ATTICA - GREECE Phone: 211 60 03 500-599 - Fax: 210 55 99 612

koutsibelis@durostick.gr www.durostick.gr

### 1.4 Emergency telephone number:

### **SECTION 2: HAZARDS IDENTIFICATION**

### 2.1 Classification of the substance or mixture:

This product contains less than 1% of crystalline silica breathable fraction, so it does not require classification based on the provisions of Regulation (EU) 1272/2008 of the European Parliament and of the Council, of December 16, 2008, on classification, labeling and packaging of substances and mixtures, and amending and repealing Directives 67/548/EEC and 1999/45/EC and amending Regulation (EC) No 1907/2006.

### CLP Regulation (EC) No 1272/2008:

Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008.

Acute Tox. 4: Acute toxicity, Category 4, H312+H332

# 2.2 Label elements:

### CLP Regulation (EC) No 1272/2008:

### Warning



### **Hazard statements:**

Acute Tox. 4: H312+H332 - Harmful in contact with skin or if inhaled.

### **Precautionary statements:**

P101: If medical advice is needed, have product container or label at hand.

P102: Keep out of reach of children.

P261: Avoid breathing dust

P271: Use only outdoors or in a well-ventilated area.

P280: Wear protective gloves/face protection/protective clothing/respiratory protection/protective footwear.

P302+P352: IF ON SKIN: Wash with plenty of water.

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P501: Dispose of contents/container according to the separated collection system used in your municipality.

# Supplementary information:

EUH205: Contains epoxy constituents. May produce an allergic reaction.

# Substances that contribute to the classification

Xylene

**UFI:** 0R5Q-4JX7-V00F-VQH9

### 2.3 Other hazards:

Product does not meet PBT/vPvB criteria

Endocrine-disrupting properties: The product does not meet the criteria.

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Date of compilation: 26/03/2014 Revised: 13/02/2024 Version: 5 (Replaced 4) **Page 1/12** 

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

### **DUROFLEX-PU**



# SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS (continued)

### 3.1 Substance:

Non-applicable

### 3.2 Mixture:

Chemical description: Mixture composed of polyurethane in solvents

### Components:

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

	Identification		Chemical name/Classification	Concentration		
CAS:	1330-20-7	Xylene(1)	(1) Self-classified			
EC: Index: REACH:	dex: 601-022-00-9 Acute 10x. 4: H		Acute Tox. 4: H312+H332; Aquatic Chronic 3: H412; Asp. Tox. 1: H304; Eye Irrit. 2: H319; Flam. Liq. 3: H226; Skin Irrit. 2: H315; STOT RE 2: H373; STOT SE 3: H335 - Danger	1 - <10 %		
CAS: EC:	2530-83-8	[3-(2,3-epoxypropoxy	y)propyl]trimethoxysilane(2)  Self-classified			
Index:	ndex: Non-applicable		Aquatic Chronic 3: H412; Eye Dam. 1: H318 - Danger	0,1 - <1 %		
CAS:	52829-07-9	Bis(2,2,6,6-tetrameth	yl-4-piperidyl) sebacate <sup>(1)</sup> Self-classified			
EC: Index: REACH:	dex: Non-applicable Aquat		Aquatic Acute 1: H400; Aquatic Chronic 2: H411; Eye Dam. 1: H318; Repr. 2: H361f - Danger	0,1 - <1 %		
		Dibutyltin Dilaurate(2	aurate <sup>(2)</sup> Self-classified			
EC: 201-039-8 Index: 050-030-00-3 REACH: 01-2119496068-27- XXXX	Regulation 1272/2008	Aquatic Acute 1: H400; Aquatic Chronic 1: H410; Eye Irrit. 2: H319; Muta. 2: H341; Repr. 1B: H360; Skin Sens. 1: H317; STOT RE 1: H372; STOT SE 1: H370 - Danger	<0,1 %			

<sup>(1)</sup> Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2020/878

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

Acute toxicity estimate for the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or as determined in accordance with Annex I to that Regulation:

Identification	Acute toxicity		Genus
Xylene	LD50 oral	Not relevant	
CAS: 1330-20-7	LD50 dermal	1100 mg/kg (ATEi)	Rat
EC: 215-535-7	LC50 inhalation	1,5 mg/L (ATEi)	

# SECTION 4: FIRST AID MEASURES

### 4.1 Description of first aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

# By inhalation:

Remove the person affected from the area of exposure, provide with fresh air and keep at rest. In serious cases such as cardiorespiratory failure, artificial resuscitation techniques will be necessary (mouth to mouth resuscitation, cardiac massage, oxygen supply, etc.) requiring immediate medical assistance.

### By skin contact:

Remove contaminated clothing and footwear, rinse skin or shower the person affected if appropriate with plenty of cold water and neutral soap. In serious cases see a doctor. If the product causes burns or freezing, clothing should not be removed as this could worsen the injury caused if it is stuck to the skin. If blisters form on the skin, these should never be burst as this will increase the risk of infection.

### By eye contact:

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

### By ingestion/aspiration:

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

Date of compilation: 26/03/2014 Revised: 13/02/2024 Version: 5 (Replaced 4) **Page 2/12** 

<sup>(2)</sup> Voluntarily-listed substance failing to meet any of the criteria set out in Regulation (EU) No. 2020/878

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

### **DUROFLEX-PU**



# SECTION 4: FIRST AID MEASURES (continued)

# 4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

### 4.3 Indication of any immediate medical attention and special treatment needed:

Not relevant

### **SECTION 5: FIREFIGHTING MEASURES**

### 5.1 Extinguishing media:

### Suitable extinguishing media:

Product is non-flammable under normal conditions of storage, manipulation and use, but the product contains flammable substances. In the case of inflammation as a result of improper manipulation, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems.

### Unsuitable extinguishing media:

IT IS RECOMMENDED NOT to use full jet water as an extinguishing agent.

### 5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

### 5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

### **Additional provisions:**

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

# SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1 Personal precautions, protective equipment and emergency procedures:

### For non-emergency personnel:

Sweep up and shovel product or collect by other means and place in container for reuse (preferred) or disposal

### For emergency responders:

Wear protective equipment. Keep unprotected persons away. See section 8.

# 6.2 Environmental precautions:

It is recommended to avoid environmental spillage of both the product and its container.

### 6.3 Methods and material for containment and cleaning up:

It is recommended:

Sweep up and shovel product or collect by other means and place in container for reuse (preferred) or disposal

### 6.4 Reference to other sections:

See sections 8 and 13.

### SECTION 7: HANDLING AND STORAGE

### 7.1 Precautions for safe handling:

A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and dispose of using safe methods (section 6).

B.- Technical recommendations for the prevention of fires and explosions

Due to its non-inflammable nature, the product does not present a fire risk under normal conditions of storage, handling and use.

Date of compilation: 26/03/2014 Revised: 13/02/2024 Version: 5 (Replaced 4) **Page 3/12** 

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

### **DUROFLEX-PU**



# SECTION 7: HANDLING AND STORAGE (continued)

C.- Technical recommendations on general occupational hygiene

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

Preferably use aspiration for cleaning. Given the danger of the product by inhalation, any cleaning method that involves exposure to the product in this way (sweeping, etc.) is not recommended

### 7.2 Conditions for safe storage, including any incompatibilities:

A.- Technical measures for storage

Minimum Temp.: 5 °C

Maximum Temp.: 30 °C

Maximum time: 12 Months

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

### 7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

# SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation):

Directive (EU) 2000/39, Directive 2004/37/EC, Directive (EU) 2006/15, Directive (EU) 2009/161, Directive (EU) 2017/164, Directive (EU) 2019/1831:

	Identification		Occupational exposure limits		
Xylene (1)		IOELV (8h)	50 ppm	221 mg/m <sup>3</sup>	
CAS: 1330-20-7	EC: 215-535-7	IOELV (STEL)	100 ppm	442 mg/m <sup>3</sup>	

<sup>(1)</sup> Likely absorption through the skin

Nuisance dust: Inhalable dust 10 mg/m3 // Respirable dust 4 mg/m3

# **DNEL (Workers):**

		Short exposure		Long exposure	
Identification		Systemic	Local	Systemic	Local
Xylene	Oral	Not relevant	Not relevant	Not relevant	Not relevant
CAS: 1330-20-7	Dermal	Not relevant	Not relevant	212 mg/kg	Not relevant
EC: 215-535-7	Inhalation	442 mg/m <sup>3</sup>	442 mg/m <sup>3</sup>	221 mg/m <sup>3</sup>	221 mg/m <sup>3</sup>
[3-(2,3-epoxypropoxy)propyl]trimethoxysilane	Oral	Not relevant	Not relevant	Not relevant	Not relevant
CAS: 2530-83-8	Dermal	Not relevant	Not relevant	10 mg/kg	Not relevant
EC: 219-784-2	Inhalation	Not relevant	Not relevant	70,5 mg/m <sup>3</sup>	Not relevant
Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate	Oral	Not relevant	Not relevant	Not relevant	Not relevant
CAS: 52829-07-9	Dermal	Not relevant	Not relevant	1,8 mg/kg	Not relevant
EC: 258-207-9	Inhalation	Not relevant	Not relevant	1,27 mg/m <sup>3</sup>	Not relevant
Dibutyltin Dilaurate	Oral	Not relevant	Not relevant	Not relevant	Not relevant
CAS: 77-58-7	Dermal	2,08 mg/kg	Not relevant	0,43 mg/kg	Not relevant
EC: 201-039-8	Inhalation	0,059 mg/m <sup>3</sup>	Not relevant	0,02 mg/m <sup>3</sup>	Not relevant

### **DNEL (General population):**

		Short exposure		Long exposure	
Identification		Systemic	Local	Systemic	Local
Xylene	Oral	Not relevant	Not relevant	12,5 mg/kg	Not relevant
CAS: 1330-20-7	Dermal	Not relevant	Not relevant	125 mg/kg	Not relevant
EC: 215-535-7	Inhalation	260 mg/m <sup>3</sup>	260 mg/m <sup>3</sup>	65,3 mg/m <sup>3</sup>	65,3 mg/m <sup>3</sup>

### **DUROFLEX-PU**



# SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

		Short exposure		Long exposure	
Identification		Systemic	Local	Systemic	Local
[3-(2,3-epoxypropoxy)propyl]trimethoxysilane	Oral	Not relevant	Not relevant	5 mg/kg	Not relevant
CAS: 2530-83-8	Dermal	Not relevant	Not relevant	5 mg/kg	Not relevant
EC: 219-784-2	Inhalation	Not relevant	Not relevant	17 mg/m <sup>3</sup>	Not relevant
Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate	Oral	Not relevant	Not relevant	0,18 mg/kg	Not relevant
CAS: 52829-07-9	Dermal	Not relevant	Not relevant	0,9 mg/kg	Not relevant
EC: 258-207-9	Inhalation	Not relevant	Not relevant	0,31 mg/m <sup>3</sup>	Not relevant
Dibutyltin Dilaurate	Oral	0,02 mg/kg	Not relevant	0,003 mg/kg	Not relevant
CAS: 77-58-7	Dermal	0,5 mg/kg	Not relevant	0,16 mg/kg	Not relevant
EC: 201-039-8	Inhalation	0,04 mg/m <sup>3</sup>	Not relevant	0,005 mg/m <sup>3</sup>	Not relevant

### PNEC:

Identification				
ylene	STP	6,58 mg/L	Fresh water	0,327 mg/L
AS: 1330-20-7	Soil	2,31 mg/kg	Marine water	0,327 mg/L
C: 215-535-7	Intermittent	0,327 mg/L	Sediment (Fresh water)	12,46 mg/kg
	Oral	Not relevant	Sediment (Marine water)	12,46 mg/kg
3-(2,3-epoxypropoxy)propyl]trimethoxysilane	STP	8,2 mg/L	Fresh water	0,45 mg/L
AS: 2530-83-8	Soil	0,063 mg/kg	Marine water	0,045 mg/L
C: 219-784-2	Intermittent	0,45 mg/L	Sediment (Fresh water)	1,6 mg/kg
	Oral	Not relevant	Sediment (Marine water)	0,16 mg/kg
is(2,2,6,6-tetramethyl-4-piperidyl) sebacate	STP	1 mg/L	Fresh water	0,004 mg/L
AS: 52829-07-9	Soil	1,18 mg/kg	Marine water	0,00038 mg/L
C: 258-207-9	Intermittent	0,007 mg/L	Sediment (Fresh water)	5,9 mg/kg
	Oral	Not relevant	Sediment (Marine water)	0,59 mg/kg
ibutyltin Dilaurate	STP	100 mg/L	Fresh water	0 mg/L
AS: 77-58-7	Soil	0,041 mg/kg	Marine water	0 mg/L
C: 201-039-8	Intermittent	0,005 mg/L	Sediment (Fresh water)	0,05 mg/kg
	Oral	0,0002 g/kg	Sediment (Marine water)	0,005 mg/kg

# 8.2 Exposure controls:

A.- Individual protection measures, such as personal protective equipment

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

# B.- Respiratory protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory respiratory tract protection	Filter mask for gases, vapours and particles	CATIII	EN 149:2001+A1:2009 EN 405:2002+A1:2010 EN ISO 136:1998	Replace when an increase in resistence to breathing is observed and/or a smell or taste of the contaminant is detected.

# C.- Specific protection for the hands

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory hand protection	Chemical protective gloves (Material: Linear low-density polyethylene (LLDPE), Breakthrough time: > 480 min, Thickness: 0.062 mm)	CAT III	EN ISO 21420:2020	Replace the gloves at any sign of deterioration.

As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application.

D.- Eye and face protection

Date of compilation: 26/03/2014 Revised: 13/02/2024 Version: 5 (Replaced 4) **Page 5/12** 

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

### **DUROFLEX-PU**



# SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory face protection	Face shield	CATII	EN 166:2002 EN 167:2002 EN 168:2002 EN ISO 4007:2018	Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing.

# E.- Body protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory complete body protection	Disposable clothing for protection against chemical risks	CAT III	EN 13034:2005+A1:2009 EN 168:2002 EN ISO 13982-1:2004/A1:2010 EN ISO 6529:2013 EN ISO 6530:2005 EN 464:1994	For professional use only. Clean periodically according to the manufacturer's instructions.
Mandatory foot protection	Safety footwear for protection against chemical risk	CATIII	EN ISO 20345:2011 EN 13832-1:2019	Replace boots at any sign of deterioration.

### F.- Additional emergency measures

Emergency measure	Standards	Emergency measure	Standards
<b>^</b> +	ANSI Z358-1 ISO 3864-1:2011, ISO 3864-4:2011	<b>*</b>	DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011
Emergency shower		Eyewash stations	

### **Environmental exposure controls:**

In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and its container. For additional information see subsection 7.1.D

# **Volatile organic compounds:**

With regard to Directive 2010/75/EU, this product has the following characteristics:

V.O.C. (Supply): 6 % weight V.O.C. density at 20 °C: Not relevant

Average carbon number: 8

Average molecular weight: 106,2 g/mol

# SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

# 9.1 Information on basic physical and chemical properties:

For complete information see the product datasheet.

### Appearance:

Physical state at 20 °C: Liquid
Appearance: Paste

Colour: According to the markings on the package

Odour: Aromatic
Odour threshold: Not relevant \*

**Volatility:** 

Boiling point at atmospheric pressure:

Vapour pressure at 20 °C:

Vapour pressure at 50 °C:

Not relevant \*

Evaporation rate at 20 °C:

Not relevant \*

**Product description:** 

\*Not relevant due to the nature of the product, not providing information property of its hazards.

Date of compilation: 26/03/2014 Revised: 13/02/2024 Version: 5 (Replaced 4) **Page 6/12** 

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

### **DUROFLEX-PU**



# SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES (continued)

Density at 20 °C: Not relevant \* Relative density at 20 °C: 1,20±0,05 Kg/lt Dynamic viscosity at 20 °C: Not relevant \* Kinematic viscosity at 20 °C: Not relevant \* Kinematic viscosity at 40 °C: >20,5 mm<sup>2</sup>/s Concentration: Not relevant \* pH: Not relevant \* Vapour density at 20 °C: Not relevant \* Partition coefficient n-octanol/water 20 °C: Not relevant \* Solubility in water at 20 °C: Not relevant \*

Solubility properties: Insoluble in water, soluble in organic solvents

Decomposition temperature: Not relevant \* Melting point/freezing point: Not relevant \*

Flammability:

Flash Point: Non-applicable Flammability (solid, gas): Not relevant \* 400 °C Autoignition temperature:

Lower flammability limit: Not relevant \* Not relevant \* Upper flammability limit:

**Explosive (Solid):** 

Not relevant \* Lower explosive limit: Upper explosive limit: Not relevant \*

**Particle characteristics:** 

Median equivalent diameter: Not relevant \*

#### 9.2 Other information:

### Information with regard to physical hazard classes:

Explosive properties: Not relevant \* Oxidising properties: Not relevant \* Not relevant \* Corrosive to metals: Heat of combustion: Not relevant \* Aerosols-total percentage (by mass) of flammable Not relevant \*

components:

Other safety characteristics:

Surface tension at 20 °C: Not relevant \* Refraction index: Not relevant \*

\*Not relevant due to the nature of the product, not providing information property of its hazards.

# SECTION 10: STABILITY AND REACTIVITY

# 10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7 from Safety Data Sheet.

### 10.2 Chemical stability:

Chemically stable under the indicated conditions of storage, handling and use.

### 10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

### 10.4 Conditions to avoid:

Date of compilation: 26/03/2014 Revised: 13/02/2024 Version: 5 (Replaced 4) Page 7/12

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

### **DUROFLEX-PU**



# SECTION 10: STABILITY AND REACTIVITY (continued)

Applicable for handling and storage at room temperature:

Shock and friction	Contact with air	Increase in temperature	Increase in temperature Sunlight	
Not applicable	Not applicable	Precaution	Precaution	Not applicable

### 10.5 Incompatible materials:

Acids	Water	Oxidising materials	Combustible materials	Others
Avoid strong acids	Not applicable	Avoid direct impact	Not applicable	Avoid alkalis or strong bases

### 10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO<sub>2</sub>), carbon monoxide and other organic compounds.

# SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008:

The experimental information related to the toxicological properties of the product itself is not available

### **Dangerous health implications:**

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

- A- Ingestion (acute effect):
  - Acute toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for consumption. For more information see section 3
  - Corrosivity/Irritability: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.
- B- Inhalation (acute effect):
  - Acute toxicity: Exposure in high concentration can interfere with the central nervous system causing headache, dizziness, vertigo, nausea, vomiting, confusion, and in serious cases, loss of consciousness.
  - Corrosivity/Irritability: Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for inhalation. For more information see section 3.
- C- Contact with the skin and the eyes (acute effect):
  - Contact with the skin: Above all, may have harmful effects for health if the product is absorbed through the skin. For more information on the secondary effects of skin contact see section 2.
  - Contact with the eyes: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.
- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):
  - Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3.
    - IARC: Xylene (3); Polyvinyl chloride (3); Carbon black (2B); Diiron trioxide (3)
  - Mutagenicity: Based on available data, the classification criteria are not met. However, it contains substances classified as dangerous with mutagenic effects. For more information see section 3.
  - Reproductive toxicity: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.
- E- Sensitizing effects:

Date of compilation: 26/03/2014

- Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3.
- Skin: Based on available data, the classification criteria are not met. However, it contains substances classified as dangerous with sensitising effects. For more information see section 3.
- F- Specific target organ toxicity (STOT) single exposure:

Based on available data, the classification criteria are not met. However, it does contain substances which are classified as dangerous as a result of a single exposure. For more information see section 3.

- G- Specific target organ toxicity (STOT)-repeated exposure:
  - Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.

- CONTINUED ON NEXT PAGE -

- Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

Version: 5 (Replaced 4)

Revised: 13/02/2024

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

### **DUROFLEX-PU**



# SECTION 11: TOXICOLOGICAL INFORMATION (continued)

### H- Aspiration hazard:

Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.

### Other information:

Not relevant

### Specific toxicology information on the substances:

Identification	Acu	te toxicity	Genus
Xylene	LD50 oral	2100 mg/kg	Rat
CAS: 1330-20-7	LD50 dermal	1100 mg/kg (ATEi)	Rat
EC: 215-535-7	LC50 inhalation	1,5 mg/L (ATEi)	
[3-(2,3-epoxypropoxy)propyl]trimethoxysilane	LD50 oral	8025 mg/kg	Rat
CAS: 2530-83-8	LD50 dermal	4250 mg/kg	Rabbit
EC: 219-784-2	LC50 inhalation		
Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate	LD50 oral	3700 mg/kg	Rat
CAS: 52829-07-9	LD50 dermal		
EC: 258-207-9	LC50 inhalation		
Dibutyltin Dilaurate	LD50 oral	2071 mg/kg	Rat
CAS: 77-58-7	LD50 dermal		
EC: 201-039-8	LC50 inhalation		

### 11.2 Information on other hazards:

### **Endocrine disrupting properties**

Endocrine-disrupting properties: The product does not meet the criteria.

### Other information

Not relevant

# SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available

Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.

### 12.1 Toxicity:

### Acute toxicity:

Identification	Concentration		Species	Genus
Xylene	LC50	>10 - 100 mg/L (96 h)		Fish
CAS: 1330-20-7	EC50	>10 - 100 mg/L (48 h)		Crustacean
EC: 215-535-7	EC50	>10 - 100 mg/L (72 h)		Algae
[3-(2,3-epoxypropoxy)propyl]trimethoxysilane	LC50	55 mg/L (96 h)	Cyprinus carpio	Fish
CAS: 2530-83-8	EC50	324 mg/L (48 h)	Daphnia magna	Crustacean
EC: 219-784-2	EC50	Not relevant		
Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate	LC50	5,3 mg/L (96 h)	Oryzias latipes	Fish
CAS: 52829-07-9	EC50	8,6 mg/L (48 h)	Daphnia magna	Crustacean
EC: 258-207-9	EC50	0,7 mg/L (72 h)	Pseudokirchneriella subcapitata	Algae
Dibutyltin Dilaurate	LC50	>0.1 - 1 mg/L (96 h)		Fish
CAS: 77-58-7	EC50	>0.1 - 1 mg/L (48 h)		Crustacean
EC: 201-039-8	EC50	>0.1 - 1 mg/L (72 h)		Algae

### **Chronic toxicity:**

Identification	Concentration		Species	Genus
Xylene	NOEC	1,3 mg/L	Oncorhynchus mykiss	Fish
CAS: 1330-20-7 EC: 215-535-7	NOEC	1,17 mg/L	Ceriodaphnia dubia	Crustacean
[3-(2,3-epoxypropoxy)propyl]trimethoxysilane	NOEC	Not relevant		
CAS: 2530-83-8 EC: 219-784-2	NOEC 100 mg/L		Daphnia magna	Crustacean

Date of compilation: 26/03/2014 Revised: 13/02/2024 Version: 5 (Replaced 4) **Page 9/12** 

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

# **DUROFLEX-PU**



# SECTION 12: ECOLOGICAL INFORMATION (continued)

Identification	Concentration		Species	Genus
Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate	NOEC	Not relevant		
CAS: 52829-07-9 EC: 258-207-9	NOEC	0,23 mg/L	Daphnia magna	Crustacean

# 12.2 Persistence and degradability:

# **Substance-specific information:**

Identification	Degradability		Biodegradability	
Xylene	BOD5	Not relevant	Concentration	Not relevant
CAS: 1330-20-7	COD	Not relevant	28 days	cellPeriodoTesteoConte nido
EC: 215-535-7	BOD5/COD	Not relevant	% Biodegradable	88 %
Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate	BOD5	Not relevant	Concentration	20 mg/L
CAS: 52829-07-9	COD	Not relevant	28 days	cellPeriodoTesteoConte nido
EC: 258-207-9	BOD5/COD	Not relevant	% Biodegradable	29 %
Dibutyltin Dilaurate	BOD5	0 g O2/g	Concentration	100 mg/L
CAS: 77-58-7	COD	Not relevant	28 days	cellPeriodoTesteoConte nido
EC: 201-039-8	BOD5/COD	Not relevant	% Biodegradable	50 %

### 12.3 Bioaccumulative potential:

### **Substance-specific information:**

Identification	Bioa	Bioaccumulation potential		
Xylene	BCF	9		
CAS: 1330-20-7	Pow Log	2.77		
EC: 215-535-7	Potential	Low		
[3-(2,3-epoxypropoxy)propyl]trimethoxysilane	BCF			
CAS: 2530-83-8	Pow Log	0.5		
EC: 219-784-2	Potential			
Dibutyltin Dilaurate	BCF	31		
CAS: 77-58-7	Pow Log	3.12		
EC: 201-039-8	Potential	Moderate		

# 12.4 Mobility in soil:

Identification	Absorption/desorption		Volatility	
Xylene	Koc	202	Henry	524,86 Pa·m³/mol
CAS: 1330-20-7	Conclusion	Moderate	Dry soil	Yes
EC: 215-535-7	Surface tension	Not relevant	Moist soil	Yes

Water miscible

# 12.5 Results of PBT and vPvB assessment:

Product does not meet PBT/vPvB criteria

# 12.6 Endocrine disrupting properties:

Endocrine-disrupting properties: The product does not meet the criteria.

### 12.7 Other adverse effects:

Not described

# SECTION 13: DISPOSAL CONSIDERATIONS

### 13.1 Waste treatment methods:

Code	Description	Waste class (Regulation (EU) No 1357/2014)	
08 04 10	waste adhesives and sealants other than those mentioned in 08 04 09	Non-hazardous	

# Type of waste (Regulation (EU) No 1357/2014):

Not relevant

# Waste management (disposal and evaluation):

Date of compilation: 26/03/2014 Revised: 13/02/2024 Version: 5 (Replaced 4) **Page 10/12** 

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

### **DUROFLEX-PU**



# SECTION 13: DISPOSAL CONSIDERATIONS (continued)

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-hazardous residue. Waste should not be disposed of to drains. See paragraph 6.2.

### Regulations related to waste management:

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

### **SECTION 14: TRANSPORT INFORMATION**

This product is not regulated for transport (ADR/RID,IMDG,IATA)

### **SECTION 15: REGULATORY INFORMATION**

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

- Article 95, REGULATION (EU) No 528/2012: Not relevant
- Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Not relevant
- Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Not relevant
- REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: *Dibutyltin Dilaurate* (77-58-7)
- Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Not relevant

### Seveso III:

Not relevant

# Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc ....):

Contains Di-´´isononyl´´ phthalate. 1. Shall not be used as substances or in mixtures, in concentrations greater than 0,1 % by weight of the plasticised material, in toys and childcare articles which can be placed in the mouth by children. 2. Such toys and childcare articles containing these phthalates in a concentration greater than 0,1 % by weight of the plasticised material shall not be placed on the market. 4. For the purpose of this entry 'childcare article' shall mean any product intended to facilitate sleep, relaxation, hygiene, the feeding of children or sucking on the part of children.

Laboral exposure to respirable crystalline silica must be controlled in accordance with Directive (EU) 2022/431, of the European Parliament and of the Council, of March 9, 2022, amending Directive 2004/37/EC, relating to the protection of workers against risks related to exposure to carcinogens or mutagens during work.

# Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

### Other legislation:

The product could be affected by sectorial legislation

### 15.2 Chemical safety assessment:

The provider has carried out a chemical safety assessment

# **SECTION 16: OTHER INFORMATION**

### Legislation related to safety data sheets:

The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (COMMISSION REGULATION (EU) 2020/878).

### Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.:

COMMISSION REGULATION (EU) 2020/878

Texts of the legislative phrases mentioned in section 2:

H312+H332: Harmful in contact with skin or if inhaled.

Texts of the legislative phrases mentioned in section 3:

Date of compilation: 26/03/2014 Revised: 13/02/2024 Version: 5 (Replaced 4) Page 11/12

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

### **DUROFLEX-PU**



# SECTION 16: OTHER INFORMATION (continued)

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

### CLP Regulation (EC) No 1272/2008:

Acute Tox. 4: H312+H332 - Harmful in contact with skin or if inhaled.

Aquatic Acute 1: H400 - Very toxic to aquatic life.

Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects. Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects. Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.

Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways.

Eye Dam. 1: H318 - Causes serious eye damage. Eye Irrit. 2: H319 - Causes serious eye irritation. Flam. Liq. 3: H226 - Flammable liquid and vapour. Muta. 2: H341 - Suspected of causing genetic defects. Repr. 1B: H360 - May damage fertility or the unborn child.

Repr. 2: H361f - Suspected of damaging fertility.

Skin Irrit. 2: H315 - Causes skin irritation.

Skin Sens. 1: H317 - May cause an allergic skin reaction.

STOT RE 1: H372 - Causes damage to organs through prolonged or repeated exposure. (Oral). STOT RE 2: H373 - May cause damage to organs through prolonged or repeated exposure (Oral).

STOT SE 1: H370 - Causes damage to organs. STOT SE 3: H335 - May cause respiratory irritation.

### Classification procedure:

Acute Tox. 4: Calculation method

### Advice related to training:

Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

### Principal bibliographical sources:

http://echa.europa.eu http://eur-lex.europa.eu

### **Abbreviations and acronyms:**

ADR: European agreement concerning the international carriage of dangerous goods by road

IMDG: International maritime dangerous goods code IATA: International Air Transport Association

ICAO: International Civil Aviation Organisation COD: Chemical Oxygen Demand

BOD5: 5day biochemical oxygen demand

BCF: Bioconcentration factor

LD50: Lethal Dose 50

LC50: Lethal Concentration 50 EC50: Effective concentration 50

LogPOW: Octanolwater partition coefficient Koc: Partition coefficient of organic carbon

UFI: unique formula identifier

IARC: International Agency for Research on Cancer

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.